
.....

1000

27

2508-320582-89-01-995/m "

9

2

2021-2035

ND V

40.48

1.2 m³/d

3 m³/d

2.4 m³/d

0.6 m³/d

3

35kV

4

“ ”

2 /

5

300t/h

3


2

2016-2030

4-1

3

2022-2035



‘ γE ,

Θ ‘ κC | λ κ κ> | λ E , κ2ζ

‘ ‘ κ | λ
β E ‘,R j

■
报告公示稿m

2023 10

7

2023 7

1-1

1-1

1

	44	99	
4			
5			VOCs



1

1

2021-2035

1.71km

2020 1

2021 102

2022 145

（

报告公示稿

		8	149.3206	2.87	
		5.5 500	135.6696	5.52	

2

1.71km

5.52km

1.63km

2.87km

2

2

2024

2024

i c o-€ ¶

135

180

86.1%

3.6%

84

5018

“ ”
Ç 2027 ^ 28 /
2035 26 /
‡ s B
ø P 1024U(•™•P~2D•7F%ııB qb 2024 -" n İıK m
, h 7 — B
615 V‘ ê 36 K +) nKp#H 63.9% ĩ
h - " : 25 D " ü

4

2025

2022-

2035

“

”

1-4

1-4

1

Ď

2

3

4

ř

2

3

"

y

T

α 7

1

“

”

2

í . . ñ ? γ γ Ö 'O

34.5


í

í ? φ _ ũ γ γ p

ò 7



2



1

2

“

2019 123 “ ” 2019 123

3 2

2011-2030 2018
2016-2030

2024 2013

2013

4 2023
2023

2

1-5

1-5

1.

o

2.

3.

c

• P" P ,qh'

í

! m

‘

,

A

4.

2015—2030

2017—2035

5

· ·

5..

1.

1
2
\$
ê C T ĩ m & m " ĩ 1 & m "

4

5

1

1

2

2

3

3

1

2023 9 7

2

3

u

1

2

”

“




1

2

3



4



	2012	221		
604			2021	9 29
			604	
			2021	9 29
7			2022	
	2022			
	1-7			

6

7



	2			
	3			
	4			
	5			

m x m - ! ĩ g m "

16

17

8 8

18

1-9

VOCs


VOCs

0.3m/s

Dip


		0.5%	
		5	
		VOCs	
		“ ”	
		VOCs	“ ”
		VOCs	
			800mg/g
		800mg/g	RTO
		650mg/g	
		1100m 2/g	
		BET	
		n	

	40000h -1	
	VOCs	
	RTO	
↓ 760	CO	
	300	
VOCs “	”	VOCs
		%



•

2021 65



HJ 1207-2021

3

HJ848-2017

GB 33372-2020	
VOCs	

<

2021 2

11

GB33372-2020

1,2-

1,1,1-

1,1,2-

GB30982

GB19340

1 n - 1

3

@

[illegible]

“ ”

2022 70

12

2025 28

2025 28

“

”

2.1

2021 07 2021

9

2022 3 14

2022 82 0034

Ψ " "

κ

2 5400 50 2023 10 23

2023 12 "

67192.35

2.2

		540 0	540 0		
				0	
		/	/		
30kg/		200 0	200 0		
10m					
1m				0	7200
		/	/		
3mm/4m					
m					
		50	50		
20kg/25kg	JC/T984- 2011	/	/	0	7200
	1 :		100 0		
1.2mm/1.5 mm	GB18173.1- 2012	0		+100 0	7200
			/	/	
	GB/T23457- 2017				

" TM TM` Q™‰A P B P r 'iX~Cd7 „6Cq Cd7 „6Cq Cd7 "" ±— 28 P 28 „6Cq Cd7 p°

1000

/

27 /

--	--

--	--

--	--

报告公示稿

报告公示稿

报告公示稿

--	--

2.2.3

--	--

--	--

--	--

--	--

--	--

2.2.4

2-5

2-5

11211.12m², 27 11211.12m² 27 “

”

2023
1054

19038.25m² 19038.2
/ 1000 1000

7631.36m² 4
” M 1/2

/


[illegible]

				DA001 30m		DA001 30m	
				DA002 30m		DA002 30m	
				DA008 28.7m	/	DA008 28.7m	
				2 + +RTO DA009 30m DA0010 30m	/	2 + +RTO DA009 30m DA0010 30m	
				DA003 27m		DA003 27m	
				DA004 30m	/	DA004 30m	
				DA005 30m		DA005 30m	

2.2.5

“

”



50000
30000
50000
60000

270000
0.383
2.866
3.132

§ §

§

§

2.3

2.3.1



2-3
12 ,

1

2

3

4

2.3.2

--	--


--	--

--	--

1

W2

W1



2.4
2.4.1


2


2021 7

2021 9

		5400 /	5400 /	7200	
		2000 /	2000 /	7200	

2-11



					
2-7					
2.4.3	1				
[a]					
2-12					
2-12					
DA001 DA002			[a]	1 +2 +2 +2 RTO	
	SO ₂				
	NO _x				

DA006

1

DA003

DA004

DA005

0

生产废水、初期雨水



隔油沉淀



2-8

3

4

2-13

2-13

XP

1

-

3	HW08	900-249-08	0.3
4	HW08	900-249-08	8.12
5	HW08	900-210-08	1
6	HW49	900-041-49	31.12
7	HW08	900-249-08	9.6

	46	17	0.30			
	9					
	17	ND		0.0	0.00	
		2*				
[a]	38		3.5*	00	000	
	4	10 ⁻⁵	10 ⁻⁷	3	9	
		ND				
		3	0.05	20	/	
	17		3	0		
	71					
	1					
		6.75	0.12	20	/	
				0		
	20					
	17	1.3	0.02	20	1	
	0		5			
	19	ND				
	37	17		20	0.11	ž
	5		0.33			

2024
.03.2
3

DA
002

2

2-16

A

dB

A

dB A

	SS	1.690	0
		0.296	0
		0.0338	0
		0.507	0
		0	0
		0	0
		0	0
			= * /

2.4.6

16		
17	5	2022 3 2022 4 52023 10 23

2.4.8

5400

2000

“ ”

1


3

2024

DA003

2 “ ” l m ”

l m ”



3.1

3.1.1

1996 133

GB3095-2012

2024

2024

2024

135

180

86.1%

3.6%

4.10

1.9%

12.1%

3-1 2024

		$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	%
SO ₂	98	8	60	14
		14	150	9
NO ₂	98	26	40	65
		69	80	86
PM ₁₀	95	48	70	69
		111	150	74
PM _{2.5}	95	30	35	86
		83	75	111
CO				
mg	NO m!	κ m	"	ts 1

“

2027

28 / 2035 26 /

2024 9 4

2024 10

3-2

		/m			ug/m³)	3)		
		UTM						
		X	Y					
		548758	354002 2		2000	290~63 0		

£

3-3								
			pH	COD _{Cr} mg/L	BOD ₅ mg/L	mg/L	mg/L	mg/L
			7.5	6.1	0.9	0.06	1.61	0.005
			8.4	13.6	2.4	0.76	4.82	0.02
			7.5~8.4	10.0	1.5	0.28	2.7	0.01
			0	0	0	0	/	0
		^	/	/	^	/	/	///

3-3

2023.11.21~2023.11.23

W1

£

££££££££

500m

W2

500m

3-4

3-4

£

	W2		0	0	0	0	0	0
--	----	--	---	---	---	---	---	---


3-4

GB 3838-2002 III

3.1.3

50m

3.1.4



3-6

mg/Nm³

kg/h

mgČ

*

		0.476	0.156	0	0	0	0	0.632	0
		1.3	0.091	1.440	0	1.440	0	2.831	+1.440
	[a]	1E-06	5.06E-07	0	0	0	0	1.5055 E-06	0
	VOCs	1.207	0.509	0.427	0	0.427	0	2.143	+0.427
		8448	0	1260	0	1260	0	9708	+1260
	COD	3.379	0	0.0504	0	0.0504	0	3.4294	+0.0504
	SS	1.690	0	0.0504	0	0.0504	0	1.7404	+0.0504
		0.296	0	0	0	0	0	0.296	0
		0.0338	0	0	0	0	0	0.0338	0
		0.507	0	0	0	0	0	0.507	0
		0.507	0	0	0	0	0	0.507	0
		0	0	0	0	0	0	0	0
		0	0	5.8	5.8	0	0	0	0
		0	0	67.21	67.21	0	0	0	0
VOCs						VOCs			

4.1

4.1.1

? η ;ϙ ?ϵ M } A #

4.1.2

Ž ġm " "A '

4.1.3

ρ , mϑ κ ϙ ϑ κ ϙ ϙ ~ κ m ω
m
⋄ l ϙ 3 &
? κ? M Ò
Ō , m κ m r l ‡ λ λ 1 ϙ⁵
Ǧ m m
ü m Ÿ η ;m ϵ ϙ , m C κ m r . í ¿ ¥

4.2

4.2.1

1

G1

G2

G3

G4

G5

G6

G7

G8

G9

G1

G2

500

HDPE

500

TPO

2017 7

85%-85.7%

18.97-22.27mg/m³

6483m³/h

0.144kg/h

4800h

85%

500

HDPE

0.957t/a

1000

HDPE

1.914t/a

“

”

DA012

90%

90%

G3

500

HDPE

500

TPO

2017 7

85%-85.7%

21.83-27.35mg/m³

6501m³/h

!

A Õ

90%
G4

90%

1

5

5

AP-42

1t

0.23kg

28.7m

DA013

99%

99%

4-1

	t/a	t/h	h		kg/h	t/a	Q	kg/h	t/a
	50000	20	2500		4.6	11.5		0.046	0.114
	30000	20	1500		4.6	6.9		0.046	0.068
	50000	20	2500		4.6	11.5		0.046	0.114
1	30000	20	1500		4.6	6.9	99%	0.046	0.068
1	30000	20	1500		4.6	6.9	99%	0.046	0.068
	/	/	/		23	43.7		0.023	0.433


Š G5

Ö

Ö

Ö

ž κ ö ñ , η λ λ - κ η m η ς 1 ćÖ.



v5 > 2

		G7 G8 G9		3.5148	99%	3.480	0.035

4-3

			t/a	kg/h	mg/m³		%	m³/h	t/a	kg/h	mg/m³	mg/m³	kg/h			
			3.532	0.491	61.319		90%	8000	0.353	0.049	6.132	60	3	H=18m T=25 D=0.55m		DA012
			43.263	6.009	400.583		99%	15000	0.433	0.060	4.006	10	/	H=28.7m T=25 D=0.6m		DA013
			99.317	13.794	689.701		99%	20000	0.993	0.138	6.897	10	/	H=18m T=25 D=0.7m		DA014
			3.480	0.483	80.556		90%	6000	0.348	0.048	8.056	60	3	H=18m T=25 D=0.4m		DA015

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

4-4

t/a	kg/h	m ²	m
0.392	0.054	19038.25	5
0.437	0.23	180	28

$\kappa F =$

1				DB32/4041-2021	4	0.392
2					0.5	0.437
3					0.5	1.003
					4	0.035
						0.427
						1.440
4-7						
				/ t/a		
1				1.128		
2				2.866		
2						
0%						
0.1 / 30min						
4-8						
			/ mg/m³	/ kg/h	/h	/
DA012			61.319	0.491	0.5	0.1
DA013			400.583	6.009		
DA014			689.701	13.794		
DA015			80.556	0.483		

1

2

յ ի

3 Ձ Ն Ր

4-9				
1		mm	2000*2000*2900	2000*1500*1100
2		m ²	9.72	1.25
3		m ² /g	≥ 750	≥ 750
4		/		
5		mg/g	≥ 800	≥ 800
6	"	kg/m ³	500	500
7		t/	3.89	0.5
3.179t/a				
7.78t				
3.132t/a				
7.78				
2021 218				
T=m×s÷(c×10 ⁻⁶ ×Q×t)				
T—				
m— kg				
s— %				
c— VOCs mg/m ³				
Q— m ³ /h				
t— h/d				
4-10				
			VOCs	

	kg		mg/m ³	m ³ /h	h/d	d
	7780	10%	55.188	8000	24	73
	1000	10%	72.5	6000	24	10

73d

34t

10

33t

4

30t

31t

3t

10d

HJ1122-2020

HJ1116-2020

DB32/4041-2021

GB31572-2015

1

28.7m

DA013

VOCs

2023 9 16 17 DA006

89%~90%

DB32/4149-2021

2

“ ”

18m DA014

HJ1116-2020 /

DB32/4149-2021

30 87
4-11

4-11

	30 kwh	0.8 /kwh	24
	62	7000 /t	43
	67	3000 /t	20
	/	/	87

4

É

Ŵ

PM10


GBT39499-2020 “

”

100 ^

6

,



4.2.2

1

W1

1

200t/h

5

(GBT50102-2014)

$$Q_e = K_{ZF} \cdot \Delta t \cdot Q$$

$$Q_w = \frac{P_w \cdot Q}{100}$$



Qe——	KZF	0.0015	Δt
	5		
Qw——	Pw	0.1	
Qb——	N	5	
Qm——			
Q——			

	t/a		mg/L	t/a			mg/L	t/a	mg/L
	1260	COD	40	0.0504	/	COD	40	0.0504	500
		SS	40	0.0504		SS	40	0.0504	400
6		COD	500	0.003	+				
		SS	200	0.0012					
			60	0.00036	+				
					+				

--	--	--	--	--	--	--	--

2

1260t/a

4.2t/d

6t/a

0.02t/d

d

80t/d

21939.1t/a

73t/d

d

	pH	COD	SS	
mg/L	7~8	1500	600	20
	/	70%	90%	90%
mg/L	7~8	4		

1

2012

A2/

		1	COD SS	1 /
--	--	---	--------	-----

5

4-21 4-22

2

*

12

≤ 12

4-23

Y

2 4

h

4

		180											
		2	75			371	323	1	40	43		25	18
		130											
		2	75			401	316	1	40	43		25	18
		4	75			428	309	1	30	45		25	20
		2	80			421	311	1	35	49		25	20
		2	75			345	339	1	5	61		25	36
		1	85			380	298	1	50	49		25	24
		2	85			249	320	1	20	59		25	34
		3	85			260	317	1	30	55		25	30
		3	85			269	315	1	30	55		25	30
		1	75			255	358	1	15	51		25	26

5	75	164	416	1	5	61	25	36
---	----	-----	-----	---	---	----	----	----

5	75	150	393	1	5	61	25	36
---	----	-----	-----	---	---	----	----	----

10	85	136	359	1	8	67	25	42
----	----	-----	-----	---	---	----	----	----

3	75	¹ 182
---	----	---------------------

X	Y	Z	/dB(A)
---	---	---	--------

1

$$A_{div} = 20\lg(r / r_0)$$

A_{div}

r₀

r

m

m

4-29

4-29				dB(A)						
	62	53	28.35	29.39	62	53.03	65	55		
	61	52	27.31	26.31	61	52.03	65	55		
	58	50	26.21	45.57	58.24	51.35	65	55		
	56	48	35.81	37.8	56.11	48.63	65	55		

2024

35.81dB(A)

GB12348-2008 3

3

4-30

4-30

1m ‘]

1

1kg/d 0.3t/a

2

GB34330-2017

6.1

b

“

"

3

5t/a

4

a

5

$$\Omega_t \Omega_t$$
 Ω

“Q” “Q”

					t/a			
1					0.3	√	/	GB34330-2017
2					5	√	/	
3					0.1	√	/	
4					67	√	/	
5					1	√	0 /	
6					0.2	√	/	
7					0.01	√	/	

2017

43

2025

4-32

t/a

1


0.1

HW49

9006

r %

ë



0%

3						0.1	HW08	900-249-08	T
4						0.01	HW08	900-210-08	T
5						0.3	S59	900-009-S59	/
6						5	S59	900-099-S59	/
7						0.5	S59	900-099-S59	/

4-33

4-33

						t/a			
1						5.7	HW49	900-041-49	T
2						39	HW08	900-249-08	T
3						60	HW08	900-249-08	T
4						6.7	HW08	900-210-08	T

5	10	HW13	900-015-13	T
6	1.106	HW49	900-041-49	T
7	0.2	HW08	900-249-08	T
8	0.02	HW08	900-210-08	T
9	67	HW49	900-039-49	T
10	15.5	SW59	900-099-S59	
11	1.7	SW59	900-009-S59	
12	60	SW59	900-099-S59	/
13	0.3	SW59	900-009-S5-0	

10			/	/	/	599.76	/	/	/

2

a

599.76m²

—

GB15562.2-1995

5

1

2

3

4

5

5

6

B

" 3

}

<

! ?

ş Ĥ

1b

128

\$

A

>`P±~\°€P

...P €l œœ

á•

4.2.5

1

7						
8						
9						GB18597
10						
11						Mb ≥ 1.5m K ≤ 10 ⁻⁷ cm/s
12						
13						
14						

2

1

A.

ρ

M ρa A

$$Q = \frac{q_1}{Q_1} + \frac{q_2}{Q_2} + \dots \frac{q_n}{Q_n}$$


$q_1 \quad q_2 \quad \dots \quad q_n$ —
 $Q_1 \quad Q_2 \dots Q_n$ —

4-36

	t	t	q/Q
1	0.2	2500	0.00008
2			

/

4-2



4-2

4-38

4-38


				/	/
			/		
				/	/
			/		
			/	/	
				/	/
			/	/	

4-39

4-39

VAE

VAE



ć

ć

ć

ć

ć

ć

--	--

	/			
	/			
	DA012			DB32/4041-2021
	DA013			DB32/4149-2021
	DA014			DB32/4149-2021
	DA015			DB32/4041-2021
				DB32/4041-2021
				DB32/4149-2021
				DB32/4041-2021

DB32/4149-
2021

COD SS

GB/T 19923-
2024

COD SS /

GB12348-
2008 3

“ ”

	/	5.5	5.5		5.8	/	11.3	+5.8
	/	60.1	60.1		67.21	/	127.31	+67.21

= + + - = -